



# ULLTRALight



# Linear LED Aluminium Profile System

Ideal for creating professional looking, spot free linear lighting effects




# EXLP02 - Linear Profile 17x15 Non Lip with Opal Diffuser

**Standard Length:** 2m  
**Body:** Satin Anodised Aluminium  
**Diffuser:** PMMA Opal Matte (Acrylic UV-Resistant)  
**End Cap:** ABS  
**Mounting Bracket:** Poly Carb



## SKUs (Order Code)

Extrusion	End Cap	Mounting Bracket
EXLP02 with diffuser	ECLP02	FBLP02



## End Cap & Mounting Bracket (Optional)




**ECLP02**  
End Cap



**FBLP02**  
Mounting Bracket


## Product Photos




1. EXLP02 with LED strip installed (LED strip needs to be purchased separately)
2. EXLP02 with Mounting Bracket installed (back view)
3. EXLP02 with Mounting Bracket installed (front view)

## INSTALLATION GUIDE



- A Clip Mount** - Fix the mounting bracket then clip the extrusion onto the mounting bracket



- B Surface Mount** - Mount by drilling hole through the extrusion and fixing directly onto the wall



- C Recess Mount** - Mount by drilling hole through the extrusion and fixing directly onto the pre-made channel




# EXLP03 - Linear Profile 17x9 Non Lip with Opal or Black Diffuser

- Standard Length:** 2m and 4m
- Body:** 2m or 4m Satin Anodised  
2m Black Anodised only
- Diffuser:** PMMA Opal Matte (Acrylic UV-Resistant)  
PMMA Black (Acrylic UV-Resistant)
- End Cap:** ABS
- Mounting Bracket:** Poly Carb



## SKUs (Order Code)

Extrusion	End Cap	Mounting Bracket
EXLP03	ECLP03	FBLP03
	ECLP03-B (Black)	



## End Cap & Mounting Bracket (Optional)



**ECLP03**  
End Cap



**FBLP03**  
Mounting Bracket


## Product Photos




1. EXLP03 with LED strip installed (LED strip needs to be purchased separately)
2. EXLP03 with Mounting Bracket installed (back view)
3. EXLP03 with Mounting Bracket installed (front view)

## INSTALLATION GUIDE


- A Clip Mount** - Fix the mounting bracket then clip the extrusion onto the mounting bracket



- B Surface Mount** - Mount by drilling hole through the extrusion and fixing directly onto the wall





- C Recess Mount** - Mount by drilling hole through the extrusion and fixing directly onto the pre-made channel



# EXCR01 - Corner Profile Radius 16x16 with Opal or Black Diffuser

- Standard Length:** 2m
- Body:** Satin Anodised or Black Anodised
- Diffuser:** PMMA Opal Matte (Acrylic UV-Resistant)  
PMMA Black (Acrylic UV-Resistant)
- End Cap:** ABS
- Mounting Bracket:** Poly Carb




## SKUs (Order Code)

Extrusion	End Cap	Mounting Bracket
EXCR01	ECCR01 ECCR01-B (Black)	FBCR01

## End Cap & Mounting Bracket (Optional)




**ECCR01**  
End Cap



**FBCR01**  
Mounting Bracket


## Product Photos




- EXCR01 with LED strip installed (LED strip needs to be purchased separately)
- EXCR01 with Mounting Bracket installed (back view)
- EXCR01 with Mounting Bracket installed (front view)

## INSTALLATION GUIDE

- A Clip Mount** - Fix the mounting bracket then clip the extrusion onto the mounting bracket




- B Surface Mount** - Mount by drilling hole through the extrusion and fixing directly onto the wall



# EXCR02 - Corner Profile Square 16x16 with Opal Diffuser

- Standard Length:** 2m
- Body:** Satin Anodised Aluminium
- Diffuser:** PMMA Opal Matte (Acrylic UV-Resistant)
- End Cap:** ABS
- Mounting Bracket:** Poly Carb




## SKUs (Order Code)

Extrusion	End Cap	Mounting Bracket
EXCR02	ECCR02	FBCR02

## End Cap & Mounting Bracket (Optional)




**ECCR02**  
End Cap



**FBCR02**  
Mounting Bracket


## Product Photos




1. EXCR02 with LED strip installed (LED strip needs to be purchased separately)
2. EXCR02 with Mounting Bracket installed (back view)
3. EXCR02 with Mounting Bracket installed (front view)

## INSTALLATION GUIDE

- A Clip Mount** - Fix the mounting bracket then clip the extrusion onto the mounting bracket



- B Surface Mount** - Mount by drilling hole through the extrusion and fixing directly onto the wall




# EXRS01 - Recessed Profile 17 x 15 with Lip and Opal Diffuser

**Standard Length:** 2m  
**Body:** Satin Anodised Aluminium  
**Diffuser:** PMMA Opal Matte (Acrylic UV-Resistant)  
**End Cap:** ABS  
**Mounting Bracket:** Poly Carb



## SKUs (Order Code)

Extrusion	End Cap
EXRS01	ECRS01



## End Cap & Mounting Bracket (Optional)



**ECRS01**  
End Cap



## Product Photos



1. EXRS01 with LED strip installed (LED strip needs to be purchased seperately)

## INSTALLATION GUIDE

**Recess Mount** - Mount by drilling hole through the extrusion and fixing directly onto the wall




# EXRS03 - Recessed Profile 17 x 9 with Lip and Opal Diffuser

<b>Standard Length:</b>	2m
<b>Body:</b>	Satin Anodised Aluminium
<b>Diffuser:</b>	PMMA Opal Matte (Acrylic UV-Resistant)
<b>End Cap:</b>	ABS
<b>Mounting Bracket:</b>	Poly Carb

## SKUs (Order Code)

Extrusion	End Cap
EXRS03	ECRS03



## End Cap & Mounting Bracket (Optional)



**ECRS03**  
End Cap


## Product Photos



1. EXRS03 with LED strip installed (LED strip needs to be purchased separately)

## INSTALLATION GUIDE

**Recess Mount** - Mount by drilling hole through the extrusion and fixing directly onto the wall



# ULLTRALight





## Lighting Component Spec Sheet – Series 4000

The 4000 Series is supplied in 4.0 metre lengths and includes both the aluminium extrusion and compatible diffusers. The extrusion is available in either mill finish or satin anodised.


Code OA-57 extrusion is designed for installation via screw fixing or double-sided tape only. It is compatible with diffusers OPE-29 and OPE-30. Please note that end caps cannot be fitted to this profile; the use of a suitable sealant is recommended.

Code OA-59 extrusion is designed for installation using mounting clips (Code OF-9). It is also compatible with diffusers OPE-29 and OPE-30. With this profile, end caps can be supplied and fitted to both flat and radius diffuser options.

### DESIGNER SPEC'S




### Aluminium Extrusion




<b>Code</b>	<b>OA-57</b>
<b>Description</b>	Light Profile - For LED Strip Lighting Fitting to MDF with out mounting clips
<b>Length</b>	4.0m
<b>Colour</b>	Mill Finish, Satin Anodised.

### Aluminium Extrusion




<b>Code</b>	<b>OA-59</b>
<b>Description</b>	Light Profile - For LED Strip Lighting Fitting to MDF with mounting clips OF-9
<b>Length</b>	4.0m
<b>Colour</b>	Mill Finish, Satin Anodised

### Retaining Clip




<b>Code</b>	<b>OF-9</b>
<b>Description</b>	Stainless Steel Mounting clips for LED light extrusion OA-59

### Diffuser - Flat




<b>Code</b>	<b>OPE-29</b>
<b>Description</b>	Clear and Opal PMMA (Acrylic UV-Resistant)
<b>Length</b>	4.0m

### Diffuser - Radius




<b>Code</b>	<b>OPE-30</b>
<b>Description</b>	Clear and Opal PMMA (Acrylic UV-Resistant)
<b>Length</b>	4.0m

### Square end cap



<b>Code</b>	<b>OPC-29</b>
<b>Description</b>	Square end cap to fit extrusion OA-59 and diffuser OPE-29, Material ABS
<b>Colour</b>	White, Grey, Black

### Radius end cap



<b>Code</b>	<b>OPC-30</b>
<b>Description</b>	Square end cap to fit extrusion OA-59 and diffuser OPE-29, Material ABS
<b>Colour</b>	White, Grey, Black

# PLANITDESIGN


[www.planitdesign.co.nz](http://www.planitdesign.co.nz)



CLIENT

JOB NO:

DATE





[www.planitdesign.co.nz](http://www.planitdesign.co.nz)

**AVAILABLE FROM**

